



Typical Chemical Characteristics

Product:

ATF LV “Fully Synthetic Low Viscosity”

Description:

EN:

Fully synthetic fluid in low viscosity for new 6-speed automatic transmission systems. It is specially formulated with superb additive technology for excellent mechanical operation. It covers a wide range of automatic transmission systems such as Acura, Allison, Audi, BMW, Chrysler, Daimler, Dodge, Ford, GM, GMC, Honda, Hyundai, Isuzu, Jaguar, Jeep, Land Rover, Lincoln, Mercedes, Mercury, Mini, Mitsubishi, Nissan, Opel, Saturn, Toyota, Volkswagen, Volvo etc.

EL:

Πλήρες συνθετικό λεπτόρευστο υγρό για νέα 6-τάχυτητα συστήματα αυτόματης μετάδοσης κίνησης. Είναι ειδικά κατασκευασμένο με εξαιρετικής τεχνολογίας πρόσθετα για τέλεια μηχανική λειτουργία. Καλύπτει μια ευρεία σειρά από συστήματα αυτόματης μετάδοσης κίνησης όπως: Acura, Allison, Audi, BMW, Chrysler, Daimler, Dodge, Ford, GM, GMC, Honda, Hyundai, Isuzu, Jaguar, Jeep, Land Rover, Lincoln, Mercedes, Mercury, Mini, Mitsubishi, Nissan, Opel, Saturn, Toyota, Volkswagen, Volvo etc.

DE:

Vollsynthetische Flüssigkeit mit geringer Viskosität für die neuen 6-Gang- Automatik-Getriebesysteme. Spezielle Formel mit ausgezeichneter Additiv-Technologie für hervorragenden mechanischen Betrieb. Geeignet für zahlreiche Automatik-Getriebesysteme, wie etwa von Acura, Allison, Audi, BMW, Chrysler, Daimler, Dodge, Ford, GM, GMC, Honda, Hyundai, Isuzu, Jaguar, Jeep, Land Rover, Lincoln, Mercedes, Mercury, Mini, Mitsubishi, Nissan, Opel, Saturn, Toyota, Volkswagen, Volvo usw.

RU:

Полностью синтетическая жидкость с низкой вязкостью для новых 6-ступенчатых автоматических коробок переключения передач. Специальный технологический процесс с применением современных присадок для превосходной механической работы. Охватывает широкий спектр автоматических систем переключения передач, таких как Acura, Allison, Audi, BMW, Chrysler, Daimler, Dodge, Ford, GM, GMC, Honda, Hyundai, Isuzu, Jaguar, Jeep, Land Rover, Lincoln, Mercedes, Mercury, Mini, Mitsubishi, Nissan, Opel, Saturn, Toyota, Volkswagen, Volvo и т.д.

Disclaimer: The data given here is based on typical chemical characteristics of the current product and could change without any verbal or written notification. This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations.



Typical Chemical Characteristics

Characteristics:

Property	Method	Unit	Result
Specific Gravity 20°C	ASTM D 1298	kg/L	0,870
Viscosity at 100°C	ASTM D 445	cSt	6,0
Viscosity Index	-	-	>165
Pour Point	ASTM D 97	°C	<35
Flash Point	ASTM D 92	°C	>195
Color	-	-	Red or Amber

Specifications:

GM D-VI,/D-IIIH, Ford Mercon-LV,
 Nissan Matic S, Toyota T-VS,
 Mitsubishi/Hyundai/KIA SP-IV,
 Honda ATF DW1, JASO 1A
 Mercedes Benz p236.12/p236.14,
 [Acura, Allison, Audi, BMW, Chrysler,
 Daimler, Dodge, Ford, GM, GMC, Honda,
 Isuzu, Jaguar, Jeep, Land Rover, Lincoln,
 Mercedes, Mercury, Mini, Mitsubishi,
 Nissan, Opel, Saturn, Volkswagen, Volvo etc]

Disclaimer: The data given here is based on typical chemical characteristics of the current product and could change without any verbal or written notification. This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations.